



# SAFETY DATA SHEET

Issue Date 10-Jul-2010

Revision Date 06-Feb-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Lonestar+200

### Other means of identification

**SDS #** AI00009

### Recommended use of the chemical and restrictions on use

**Recommended Use** Industrial cleaner.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Alklean Industries, Inc.  
2111 Catalina  
Pasadena, TX 77503  
281-479-5966

### Emergency telephone number

**Company Phone Number** 281-479-5966  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product

**Appearance** Blue liquid

**Physical state** Liquid

**Odor** Clean aromatic

### **Hazards not otherwise classified (HNOC)**

Not Applicable

### **Other Information**

Not Applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	<1	*
Isopropyl alcohol	67-63-0	<1	*
2-Butoxyethanol	111-76-2	<1	*

#### 4. FIRST AID MEASURES

##### First aid measures

<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes.

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Eyes may have symptoms of redness, itching, irritation and watering from overexposure. Substance may cause slight skin irritation.
-----------------	--

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

##### Specific hazards arising from the chemical

Non-combustible.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment as required. Ventilate affected area.
-----------------------------	---

##### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Dike for later disposal. Dilute with water and clean up. Absorb spillage with non-combustible, absorbent material. Clean up in accordance with all applicable regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid inhalation of vapors.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials.

#### **Incompatible materials**

Acids. Chlorinated hydrocarbons. Acetone. Oxidizers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

### Appropriate engineering controls

#### **Engineering Controls**

Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

#### **Eye/face protection**

Wear approved safety goggles.

#### **Skin and body protection**

Normal work clothing (long sleeved shirts and long pants) is recommended. Rubber gloves. Rubber boots.

#### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### **Physical state**

Liquid

#### **Appearance**

Blue liquid

#### **Odor**

Clean aromatic

#### **Color**

Blue

#### **Odor threshold**

Not determined



**Ingestion**

Do not taste or swallow.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rat ) = 12870 mg/kg ( Rabbit )	= 72.6 mg/L ( Rat ) 4 h
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h

**Information on physical, chemical and toxicological effects****Symptoms**

Eyes may have symptoms of redness, itching, irritation and watering from overexposure. May cause slight skin irritation.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 1 Group 3		X
2-Butoxyethanol 111-76-2	A3	Group 3		

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

**Numerical measures of toxicity- Product**

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Not determined.

Chemical Name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05
2-Butoxyethanol 111-76-2	0.81

**Other adverse effects** Not determined**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.**Contaminated packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION****DOT** Not regulated**IATA** Not regulated**IMDG** Not regulated**15. REGULATORY INFORMATION****International Inventories****Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances***US Federal Regulations**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	<1	1.0
2-Butoxyethanol - 111-76-2	111-76-2	<1	1.0

**SARA 311/312 Hazard Categories**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X
Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ	

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Isopropyl alcohol 67-63-0	X	X	X
2-Butoxyethanol 111-76-2	X	X	X

**U.S. EPA Label Information****16. OTHER INFORMATION****NFPA****Health hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health hazards**

Not determined

**Flammability**

Not determined

**Physical hazards**

Not determined

**Personal protection**

Not determined

Issue Date

10-Jul-2010

Revision Date

06-Feb-2013

Revision Note

new format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet